EMERGENCY COMMUNICATIONS SYSTEMS SUPPLEMENTARY RECORD OF COMPLETION

This form is a supplement to the System Record of Completion. It includes systems and components specific to emergency communications systems.

This form is to be completed by the system installation contractor at the time of system acceptance and approval. It shall be permitted to modify this form as needed to provide a more complete and/or clear record. Insert N/A in all unused lines.

	Form Comp	oletion Date:		Number of Supplemental Pages Attached:		
1.	PROPERTY INFO	ROPERTY INFORMATION				
	Name of property:					
	Address:					
2.	DESCRIPTION O	F SYSTEM OR S	SERVICE			
	☐ Fire alarm with in-	building fire emerge	ncy voice alarm o	communication system (EVAC)		
	☐ Mass notification s	system				
	☐ Combination system, with the following components:					
	☐ Fire alarm	☐ EVACS	☐ MNS	☐ Two-way, in-building, emergency communications system		
	☐ Other (specify):					
				tion of system(s):		
	2.1 In-Ruilding Fire	Emergency Voice	Alarm Commi	unications System		
	2.1 In-Building Fire Emergency Voice Alarm Communications System Manufacturer: Model number:					
				Number of multiple voice alarm channels:		
				Number of speaker circuits:		
	Location of amplification and sound processing equipment:					
-	Location of paging mi	cronhone stations:				
	1 0 0	•				
	Location 2:					
	T .: 2					
	Eccation 3.					
	2.2 Mass Notification	on System				
	2.2.1 System Type:					
	☐ In-building MNS—	combination				
	☐ In-building MNS	☐ Wide-a	rea MNS	☐ Distributed recipient MNS		
	☐ Other (specify):					

EMERGENCY COMMUNICATIONS SYSTEMSSUPPLEMENTARY RECORD OF COMPLETION (continued)

2. DESCRIPTION OF SYSTEM OR SERVICE (continued)

3.

2.2.2 System Features:						
☐ Combination fire alarm/MNS ☐ MNS autonomous control unit ☐ Wide-area MNS to regional national alerting interface						
☐ Local operating console (LOC) ☐ Distributed-recipient MNS (DRMNS) ☐ Wide-area MNS to DRMNS interface						
☐ Wide-area MNS to high power speaker array (HPSA) interface ☐ In-building MNS to wide-area MNS interface						
Other (specify):						
2.2.3 MNS Local Operating Consoles						
Location 1:						
Location 2:						
Location 3:						
2.2.4 High Daway Speaker Amove						
2.2.4 High Power Speaker Arrays						
Number of HPSA speaker initiation zones: Location 1:						
Location 2:						
Location 3:						
2.2.5 Mass Notification Devices						
Combination fire alarm/MNS visual devices: MNS-only visual devices:						
Textual signs: Other (describe):						
Supervision class:						
2.2.6 Special Hazard Notification						
☐ This system does not have special suppression predischarge notification.						
☐ MNS systems DO NOT override notification appliances required to provide special suppression predischarge notification.						
TWO-WAY EMERGENCY COMMUNICATIONS SYSTEMS						
3.1 Telephone System						
Number of telephone jacks installed: Number of warden stations installed:						
Number of telephone handsets stored on site:						
Type of telephone system installed: Electrically powered Sound powered						
3.2 Two-Way Radio Communications Enhancement System						
Percentage of area covered by two-way radio service: Critical areas % General building areas %						
Amplification component locations:						
Inbound signal strength dBm Outbound signal strength dBm						
Donor antenna isolation is dB above the signal booster gain.						
Radio frequencies covered:						
Radio system monitor panel location:						

EMERGENCY COMMUNICATIONS SYSTEMS

SUPPLEMENTARY RECORD OF COMPLETION (continued)

3. TWO-WAY EMERGENCY COMMUNICATIONS SYSTEMS (continued)

	3.3 Area of Refuge (Area of Rescue Assistance) Emergency Communications Systems					
	Number of stations: Location of central control point:					
	Days and hours when central control point is attended:					
	Location of alternate control point:					
	Days and hours when alternate control point is attended:					
	3.4 Elevator Emergency Communications Systems					
	Number of elevators with stations: Location of central control point:					
	Days and hours when central control point is attended:					
	Location of alternate control point:					
	Days and hours when alternate control point is attended:					
	3.5 Other Two-Way Communications System Describe:					
4.	. CONTROL FUNCTIONS					
This system activates the following control functions specific to emergency communications systems:						
	Туре	Quantity				
Mass Notification Override of Alarm Signaling Systems or Appliances						

See Main System Record of Completion for additional information, certifications, and approvals.